## RESEARCH NOTE

## PLATYBUNUS TRIANGULARIS AND PAROLIGOLOPHUS AGRESTIS: TWO PHALANGIDS INTRODUCED TO NORTH AMERICA (ARACHNIDA, OPILIONES)

Platybunus triangularis (Herbst) 1799, and Paroligolophus agrestis (Meade) 1855 (family Phalangiidae) have been collected from locations on the west coast of North America. Until now these species have been reported only from Europe (Roewer, 1923; Spoek, 1963). Their taxonomic descriptions closely follow those given by Spoek (1963), and so are not repeated here. The indentifications have been verified by Dr. G. L. Spoek.

Numerous specimens of both series of these species have been collected from British Columbia and Washington. The localities are as follows: *P. triangularis* (British Columbia: Burnaby, Coquitlam, Haney, Pitt Meadows, Vancouver; Washington: Seattle); *P. agrestis* (British Columbia: Burnaby, Haney, Parksville, Richmond, Vancouver; Washington: Seattle). Mature specimens of *P. triangularis* were collected late March to July, and of *P. agrestis* late August to late October (data from 1963 to 1973). These periods of maturity coincide with those reported for the species in England (Todd, 1949).

These species appear to be introduced. Banks (1894, 1901, 1911), who made comprehensive studies of the west coast phalangids, did not list them. Although small, *P. agrestis* is commonly found near human habitations and so, if present, should have been collected. The occurrence of these species in North America, which seems to be limited to the seaports of Seattle and Vancouver, also supports this hypothesis. The only other phalangid definitely known to be introduced to North America is *Trogulus tricarinatus* (L.) 1758, which was reported from Rochester, New York (Muchmore, 1963).

We thank Dr. G. L. Spoek of Emmen, The Netherlands for confirming our identifications; R. Crawford for the loan of specimens from the Thomas Burke Memorial Washington State Museum, Seattle; and Dr. A. L. Turnbull of Simon Fraser University for reading the manuscript.

## LITERATURE CITED

Banks, N. 1894. Washington Phalangida, with a description of a new southern *Liobunum*. Canad. Entomol. 26:160-164.

Banks, N. 1901. Synopses of North-America invertebrates. XVI. The Phalangida. Amer. Nat. 35:669-679.

Banks, N. 1911. The Phalangida of California. Pomona J. Entomol. 3:412-421.

Muchmore, W. B. 1963. Two European arachnids new to the United States. Entomol. News 74:208-210.

Roewer, C. F. 1923. Die Weberknechte der Erde, G. Fischer, Jena. 1116 p.

Spoek, G. L. 1963. The Opilionida (Arachnida), of The Netherlands. Zool. Verhand. 63:1-70.

Todd, V. 1949. The habits and ecology of the British harvestmen (Arachnida, Opiliones), with special reference to those of the Oxford district. J. Anim. Ecol. 18:209-216.

P. D. Bragg, 4610 West 6th Avenue, Vancouver, British Columbia V6R 1V7, and R. G. Holmberg, Department of Biological Sciences, Simon Fraser University, Burnaby, British Columbia V5A 1S6.